MAGNESIUM

The Mineral Superhero

Hot behaviour & anxiety are common in horses & the possibility that natural oral supplements might be useful, is very attractive. So let's have a look at the recent research. Certainly, anecdotal reports on the benefits of oral Mg are numerous — with many owners & vets describing reduced skin sensitivity, 'hot' behaviour, tying-up, irritability, muscular cramping, weakness, insulinresistance, cresty necks & stiffness — when horses receive a Mg supplement. Most of these reports have not been scientifically validated, but recently some great research has confirmed the anecdotes & observations.

Conducted in Australia, a recently-published study in 2017 looked at the amount of stress horses experienced (in terms of heart rates & cortisol levels) performing a set task when they received either ACE or a Mg supplement, compared to when they were unsupplemented. The horses were loaded onto a weighbridge for 3 seconds. Heart rate was significantly lower when the horses received ACE or Mg, compared to when they were unsupplemented. The veterinarians from the University of Guelph who undertook the studies weren't surprised to see the Mg have a similar effect to ACE.

The link between low Mg & anxiety has been well-established & supplementing Mg reduces stress in several species, including humans & rodents.

Mg is also thought to help soothe nervous horses by working in concert with calcium on muscle contractions. Calcium stimulates contraction, Mg relaxation. If Mg levels are low, muscles can spasm due to an inability to achieve full relaxation of the fibres. Although the presence of low Mg in the muscle tissue may stem from a genetic disorder rather than dietary intake, many horses have responded to Mg supplementation for treatment of chronic tying-up.

They also reported a decrease in skin sensitivity, 'hot' attitudes, unexplained hindleg lameness (muscular in origin), tying-up, irritability & muscular cramping, weakness & stiffness, particularly of the hindlimbs. Providing supplemental Mg alleviated signs & symptoms of deficiency – improving behaviour & performance.


In human medicine, Mg has been found to protect against inflammation, psychiatric disorders (anxiety, agitation & panic attacks), muscle problems, insulinresistance & diabetes, heart failure & stroke. In equine medicine, intravenous Mg is both an anaesthetic & a rescue therapeutic for bronchoconstriction in pasture asthma, & oral Mg supplementation is heavily promoted as a calmative.

Dr Jennifer Stewart

BSc BVSc PhD Equine Veterinarian & Consultant Nutritionist Jenquine CEO



Equine Veterinary Nutrition



More recent studies examined the effect of daily Mg on muscle function in horses — specifically tying up (PSSM, exertional rhabdomyolysis). Enzymes released during exercise indicate the amount of muscle damage. These are measured by your veterinarian when they test for AST, LDH, CK & ALP. A daily Mg supplement had an effect on muscle function, with lower enzyme levels after exercise, & also lower heart rates. In addition to allowing the proper relaxation of muscle fibres, Mg is a catalyst for generating energy (ATP — the basic currency of energy), & it facilitates oxygen delivery & uptake in working muscles. To sustain the high oxygen consumption required for optimum muscle function & performance requires correct levels of Mg.

Other veterinary conditions in which Mg is involved in the cause, management, treatment & prevention, include insulin resistance (IR) & Equine Metabolic Syndrome (EMS), synchronous diaphragmatic flutter (SDF) in endurance, event & racehorses, developmental bone & growth disorders in young horses, & tetany (grass & transit). There is no evidence that Mg has a role in nutritional secondary hyperparathyroidism — in fact numerous studies have confirmed that oxalates have no effect on magnesium status in horses.* Species is important here — while Mg deficiency has been implicated in oxalate toxicoses in ruminants, the opposite is true for horses.**

Insulin modulates the movement of Mg in & out of the cells in the body. Blood levels of Mg increase & cell levels decrease after sugar or starch-rich meals & this is thought to impair the cells ability to take up sugar from the blood (ie insulin-resistance). The link between Mg deficiency within the cells & diabetes has been made in man, but has yet to be confirmed in the horse. There are anecdotal reports of Mg supplementation improving insulin resistance, reducing & softening crest neck fat & lowering EMS & laminitis risk in horses. Ponies with

EMS often have high blood pressure (hypertension) & some veterinarians recommend 10g of Mg per day to help control blood pressure. More studies are needed to determine whether adding Mg to a diet that already meets minimum requirements is useful in the management of IR. However it is recommended that we ensure diets for IR horses at least meet minimum requirements.

Synchronous diaphragmatic flutter (SDF) is common in electrolyte-depleted & exhausted horses. SDF involves spasmodic contractions of the diaphragm (often occurring at the same fast rate as the heart beat). Other clinical findings in horses with SDF include dehydration, reduced blood volume, gut stasis (reduced gut sounds & gut motility) & metabolic alkalosis. It is also known as 'thumps'. All affected horses have low blood electrolyte & Mg concentrations. The role of Mg in nerve excitability has been established as a problem in SDF & treatment with calcium & Mg speeds recovery.

The dominant response in all animals to inadequate Mg intake is poor performance - including growth, increased disease risk due to immune-incompetence & muscle weakness. Young horses, especially those growing rapidly, are at risk of developmental bone disorders. Known as DOD, this syndrome mostly occurs with fast, rapid growth. It includes osteochondritis dissecans (OC), subchondral cystic lesions, angular limb deformities, physitis, flexural deformities (these may have no defined cause, or may be secondary to OC or physitis), cubodial bone abnormalities in the knee & hock, & juvenile osteoarthritis. Recent research in Europe looked at the influence of Mg supplementation on the incidence of OC.

They concluded supplements containing Mg reduced OC incidence & that Mg plus correct exercise lowered the prevalence of OC, especially in the knee.

The link between potassium, calcium & Mg has been studied in horses. An intake of 34g/kg of potassium did not decrease calcium or Mg retention. Although Mg can increase the absorption of calcium, the effect is only seen when Mg is provided at a rate of 0.86% of the diet – ie for a 400kg horse eating 10kg of feed per, the feed would need to contain 86 grams of Mg – this is equivalent to approximately 150g of magnesium oxide per day.





Although a high intake of calcium decreases Mg absorption in humans on low-fibre diets, this does not occur in the horse where fibre intake is a normal part of the diet. High intakes of dietary phosphorus reduces both Mg solubility in the ileum & Mg absorption. And combined high intakes of calcium & phosphorus together can lead to formation of an insoluble calcium magnesium phosphate complex, lowering Mg solubility in the intestine & causing decreased Mg absorption.

Magnesium helps protect against inflammation & free-radical damage. What shows promise in the field of veterinary medicine is the link to the protective role of magnesium against damage from endotoxins. Horses with colic that results in endotoxin release or laminitis are known to often have low blood magnesium levels, & there is hope that treatment with magnesium during these critical times may decrease the amount of damage that occurs.

Dietary Mg deficiency in horses is very rare, unless extreme conditions combine to lead to reduced Mg intake & increased demand, such as in long-distance travel in lactating mares, or 'hard' water in areas with a limestone base. Extreme Mg deficiency is lifethreatening but rarely seen in horses — unless they are critically ill. Adding supplementary Mg to the daily diet is intended to address subclinical deficiencies, diagnosis of which is difficult — but the clinical signs are recognizable.

| Sources of magnesium | % Mg | Amount to feed to provide 10g Mg per day |
|---|--------|--|
| Dolomite | 8-11% | 90-125g |
| Magnesite (magnesium carbonate) | 12-31% | 35-80g |
| Magnesium Chloride | 10-14% | 75-90g |
| Magnesium Oxide | 56-60% | 17-19g |
| Magnesium Citrate* | 10-12% | 85-100g |
| *Studies in humans show better absorption, not demonstrated in horses | | |

FORMS OF MAGNESIUM: Magnesium is available in different forms:

| available in different forms: | | |
|-------------------------------|---|--|
| Magnesium Sulfate | commonly called Epsom salts. A side effect of regular use is diarrhoea & its use is not recommended. | |
| Magnesium Oxidae | a fine white powder. This is the usual form found in horse feeds as the horse's body will not absorb it if it is not needed, so difficult to overdose. It also contains the highest amount of Mg (see table). | |
| Magnesium chloride | is a very good source of magnesium as it is easily absorbed by the body. | |
| Magnesium Chloride flakes | all forms of this are bitter tasting and unpalatable to horses, although it has a high bioavailability rate. The taste can be masked by dissolving the flakes in water. | |
| Magnesium hydroxide | must be broken down in the horse's stomach by hydrochloric acid to form magnesium chloride | |
| Magnesium Oil | this is liquid magnesium chloride which provides a speedy delivery to the body. | |

* https://www.cambridge.org/core/journals/journal-of-agricultural-science/article/the-effect-of-dietary-oxalate-on-calcium-phosphorus-and-magnesium-balances-in-horses/C6F6A0E53F60B0D52BD618CB695F2D0B

Jenquine's very own Dr Jennifer Stewart is the only practicing Equine Veterinarian & Clinical Nutritionist in Australia and her version is to provide a world best-practice in equine nutrition and veterinary clinical nutritional services.

Dr Jen has spent a fair bit of time researching & being involved in nutritional management of developmental orthopedic diseases, colic, tying-up, laminitis, performance problems, post-surgery & other conditions. Jenquine products have been formulated based on evidence-based nutrition supported by veterinary & scientific research and have been tried and trusted by a number of veterinarians. We are proud to say that out products are

formulated and produced in Australia in APVMA licensed and ISO accredited facilities and our promise is to horse owners is to BRING SICENCE TO YOUR FEED BIN.









Magnesium plays an important role in all horses, for...

- · Behavioural problems
- Nervouseness & excitability
- Immune and nervous system
- Inflammation
- Insulin regulation
- Muscle problems
- Laminitis
- Cushings disease (PPID)
- Equine Metabolic Syndrome (EMS)

360g/kg of Magnesium PLUS Vitamins B_{1,6} & E

DR JENNIFER STEWART'S VETERINARY FORMULA

EzyMAG+®

SUPPLEMENT FOR MUSCLES

FOR SUPPLEMENTING THE FEED

1 & 2.5kg NETT FOR ANIMAL USE ONLY



Equine Veterinary Nutrition



www.jenquine.com